

Articles

198. S. J. Carrington, I. Chakraborty, J. Bernard and P. K. Mascharak, A Theranostic Two-tone Luminescent photoCORM Derived from Rhenium and (2-pyridyl)benzothiazole: Trackable CO Delivery to Malignant Cells. *Inorg. Chem.* In Press.
Highlighted on the cover of the journal, August 15, vol. 55, 2016.
197. F. P. Rodrigues, Z. A. Carneiro, P. K. Mascharak, C. Curti and R. S. da Silva, Incorporation of a Ruthenium Nitrosyl Complex into Liposomes, the Nitric Oxide Released from these Liposomes and HepG2 Cell Death Mechanism. *Coord. Chem. Rev.* **2016**, 306, 701-707.
196. I. Chakraborty, S. J. Carrington, J. Hauser, S. R. J. Oliver and P. K. Mascharak, Rapid Eradication of Human Breast Cancer Cells through Trackable Light-triggered CO Delivery by Mesoporous Silica Nanoparticles Packed with a Designed photoCORM. *ACS Chem. Mater.* **2015**, 27, 8387-8397.
Highlighted on the cover of the journal, December 22, vol. 27, 2015.
195. J. Jimenez, I. Chakraborty and P. K. Mascharak, Syntheses and Structures of Ruthenium(II) Di- and Tri-carbonyl Complexes Derived from 4,5-diazafluoren-9-one. *Acta Cryst. Sec. C*, **2015**, C71, 965-968.
194. J. Jimenez, I. Chakraborty and P. K. Mascharak, Synthesis and Assessment of CO Release Capacity of Manganese Carbonyl Complexes Derived from Rigid α -Diimine Ligands of Varied Complexity. *Eur. J. Inorg. Chem.* **2015**, 5021-5026.
193. T. R. deBoer, I. Chakraborty and P. K. Mascharak, Design and Construction of a Silver(I)-loaded Cellulose-based Wound Dressing: Trackable and Sustained Release of Silver for Controlled Therapeutic Delivery to Wound Sites. *J. Mat. Sci: Med. Sci.* **2015**, 26:243.
192. S. J. Carrington, I. Chakraborty and P. K. Mascharak, Exceptionally Rapid CO Release from a Manganese(I) Tricarbonyl Complex Derived from bis(4-chlorophenylimino)acenaphthene upon Exposure to Visible Light. *Dalton Trans.* **2015**, 44, 13828-13834.
Highlighted on the cover of the journal, August 21, vol. 44, 2015.
Highlighted in "Hot Articles of 2015", Dalton Transactions
191. S. J. Carrington, I. Chakraborty, J. Bernard and P. K. Mascharak, Synthesis and Characterization of a "Turn-on" photoCORM for Trackable CO Delivery to Biological targets. *ACS Med. Chem. Lett.* **2014**, 5, 1324-1328.
190. T. R. deBoer, I. Chakraborty, M. M. Olmstead and P. K. Mascharak, Supramolecular Assembly of Ag(I) Centers: Diverse Topologies Directed by Anionic Interactions. *ACS Cryst. Growth Des.* **2014**, 14, 4901-4905.
189. I. Chakraborty, S. J. Carrington and P. K. Mascharak, Design Strategies to Improve the Sensitivity of Photoactive Metal Carbonyl Complexes (photoCORMs) to Visible Light and their Potential as CO-Donors to Biological Targets. *Acc. Chem. Res.* **2014**, 47, 2603-2611.
188. I. Chakraborty, S. J. Carrington and P. K. Mascharak, Photodelivery of CO by Designed photoCORMs: Correlation Between Absorption in the Visible Region and Metal-CO Bond Labilization in Carbonyl Complexes. **Invited article**, Special Issue of *ChemMedChem* on "Metals in Medicine", **2014**, 9, 1266-1274.
187. T. R. deBoer-Maggard, R. I. Palomino, S. O. Idiga, G. L. Millhauser and P. K. Mascharak, Nitration of Tyrosine by Peroxynitrite Generated In Situ in a Light-Controlled Platform: Effects of pH and Thiols. *J. Inorg. Biochem.* **2014**, 138, 24-30.

186. M. A. Gonzalez, H. Han, A. Moyes, A. Radinos, A. J. Hobbs, N. Coombs, S. R. J. Oliver and P. K. Mascharak, Light-Triggered Carbon Monoxide Delivery with Al-MCM-41-based Nanoparticles Bearing a Designed Manganese Carbonyl Complex. *J. Mater. Chem. B.* **2014**, *2*, 2107-2113.
185. M. A. Gonzalez and P. K. Mascharak, Photoactive Metal Carbonyl Complexes as Potential Agents for Targeted CO Delivery. **Invited Review** in Special Issue of *J. Inorg. Biochem.* On "Gas and Redox Sensing", **2014**, *133*, 127-135.
184. S. Sen, B. Kawahara, N. L. Fry, D. Zhang, P. K. Mascharak and G. Chaudhuri, A Light-Activated NO Donor Attenuates Colony Forming Potential of Cancer cells: Important Role of a Cross Talk Between NO and other Reactive Oxygen Species. *Archiv. Biochem. Biophys.* **2013**, *540*, 33-40.
183. S. J. Carrington, I. Chakraborty and P. K. Mascharak, Rapid CO Release from a Mn(I) Carbonyl Complex Derived from azopyridine upon Exposure to Visible Light and its Phototoxicity Toward Malignant Cells. *Chem. Commun.* **2013**, *49*, 11254-11256.
Highlighted on the cover of the journal, December 14, vol. 49, 2013.
182. T. deBoer-Maggard, A. Resendez and P. K. Mascharak, Construction of a Biomimetic Peroxynitrite -Generating Platform: A Two-component System to Synthesize Peroxynitrite *in Situ* Under the Control of Light. *ChemBioChem*, **2013**, *14*, 2106-2109.
181. M. A. Gonzalez, S. J. Carrington, I. Chakraborty, M. M. Olmstead and P. K. Mascharak, Photoactivity of Mono- and Di-Carbonyl Complexes of Ru(II) Bearing an N,N,S-Donor Ligand: Role of Ancillary Ligands on the Capacity of CO Photorelease. *Inorg. Chem.* **2013**, *52*, 11320-11331.
180. S. J. Carrington, I. Chakraborty and P. K. Mascharak, Differences in the CO Photolability of *cis*- and *trans*-[RuCl₂(azpy)(CO)₂] Complexes: Effect of Metal-to-Ligand Back Bonding. *Inorg. Chim. Acta*, **2013**, *407*, 121-125.
179. T. deBoer-Maggard, N. L. Fry and P. K. Mascharak, Evidence of Dexter Energy Transfer in NO Photolability of Dye-sensitized Ruthenium Nitrosyls. *Inorg. Chim. Acta* **2013**, *406*, 190-195.
178. B. J. Heilman and P. K. Mascharak, Light-triggered NO Delivery to Malignant Sites and Infection. *Phil. Trans. R. Soc.* **2013**, *371*, doi:10.1098/rsta.2012.0368.
177. B. J. Heilman, A. C. Tadle, L. R. Pimentel and P. K. Mascharak, Selective Damage to Hyphal Form Through Light-induced Delivery of Nitric Oxide to *Candida Albicans*. *J. Inorg. Biochem.* **2013**, *123*, 18-22.
176. M. A. Gonzalez, S. J. Carrington, N. L. Fry, J. L. Martinez and P. K. Mascharak, Syntheses, Structures and Properties of New Manganese Carbonyls as Photoactive CO-releasing Molecules (photoCORMs): Design Strategies that Lead to CO Photolability in the Visible Region. *Inorg. Chem.* **2012**, *51*, 11930-11940.
175. G. M. Halpenny, B. J. Heilman and P. K. Mascharak, Nitric Oxide (NO)-Induced Death of Gram-negative Bacteria from a Light Controlled NO-Releasing Platform. *Chemistry Biodiversity*, **2012**, *9*, 1829-1839.
174. B. J. Heilman, J. St. John, S. R. J. Oliver and P. K. Mascharak, Light-triggered Eradication of *Acinetobacter baumannii* by means of NO Delivery from a Porous Material with an Entrapped Metal Nitrosyl. *J. Am. Chem. Soc.* **2012**, *134*, 11573-11582.
Highlighted in *Chemical and Engineering News* Science Section, June 11, 2012, p.37
Highlighted on the cover of the journal, July 18, vol. 134, 2012 and included in the *Spotlight Section*

173. N. L. Fry and P. K. Mascharak, Photolability of NO in Designed Metal Nitrosyls with Carboxamido-N Donors: A Theoretical Attempt to Unravel the Mechanism. (**Invited Perspective Article**) *Dalton Transactions*, **2012**, 41, 4726-4735.
172. M. A. Gonzalez, M. A. Lim, S. Cheng, A. Moyes, A. J. Hobbs and P. K. Mascharak, Manganese Carbonyls Bearing Tripodal Polypyridine Ligands as Photoactive Carbon Monoxide Releasing Molecules (photoCORMs). *Inorg. Chem.* **2012**, 51, 601-608.
171. P. K. Mascharak, NO- and CO-donors: An Emerging Class of Pharmaceuticals in Current Medicine, (**Invited Thematic Review**) *Ind. J. Chem. A*, 50th Anniversary Issue, **2012**, 51A, 99-107.
170. A. C. Merkle, N. L. Fry, P. K. Mascharak and N. Lehnert, The Mechanism of NO Photodissociation in Photolabile Mn-NO Complexes with Pentadentate N5 Ligands. *Inorg. Chem.* **2011**, 50, 12192-12203.
169. B. J. Heilman, G. M. Halpenny and P. K. Mascharak, Synthesis, Characterization, and Light-controlled Antibiotic Application of a Composite Material Derived from Polyurethane and Silica Xerogel with Embedded Photoactive Manganese Nitrosyl. *J. Biomed. Mat. Res: Part B*, **2011**, 99B(2), 328-337.
168. M. M. Olmstead, A. A. Eroy-Reveles and P. K. Mascharak, [Mn(bpb)(DMAP)(NO)], a {Mn-NO}⁶ nitrosyl with Z = 8. *Acta Cryst. Sect. E*, **2011**, E67, m1451-m1452.
167. N. L. Fry, J. Wei and P. K. Mascharak, Triggered Dye Release via Photodissociation of Nitric Oxide from Designed Ruthenium Nitrosyls: Turn-ON Fluorescence Signaling of Nitric Oxide Delivery. *Inorg. Chem.* **2011**, 50, 9045-9052.
166. N. L. Fry and P. K. Mascharak, Photoactive Ruthenium Nitrosyls as NO Donors: How to Sensitize them Toward Visible Light. *Acc. Chem. Res.* **2011**, 44, 289-298.
Highlighted on the cover of the journal, April, vol. 44, 2011
165. M. A. Gonzalez, N. L. Fry, R. Burt, R. Davda, A. Hobbs and P. K. Mascharak, Designed Metal Carbonyls as Carbon Monoxide (CO) Releasing Molecules (CORMs): Rapid CO Release and Delivery to Myoglobin in Aqueous Buffer, and Vasorelaxation of Mouse Aorta. *Inorg. Chem.* **2011**, 50, 3127-3134.
164. N. L. Fry, X. P. Zhao and P. K. Mascharak, Density Functional Theory Studies on a Designed Photoactive {FeNO}⁶ Nitrosyl and the Corresponding Photoinactive {FeNO}⁷ Species: Insight into the Origin of NO Photolability. *Inorg. Chim. Acta* **2011**, 367, 194-198.
163. N. L. Fry, B. J. Heilman and P. K. Mascharak, Dye-tethered Ruthenium Nitrosyls Containing Planar Dicarboxamide Tetradentate Ligands: Effects of In-Plane Ligand Twist on NO Photolability. *Inorg. Chem.* **2011**, 50, 317-324.
162. G. M. Halpenny and P. K. Mascharak, Emerging Antimicrobial Applications of Nitric Oxide (NO) and NO-Releasing Materials. (**Invited Review**) *Anti-Infect. Agents Med. Chem.* **2010**, 9, 187-197.
161. M. J. Rose, A. K. Patra, M. M. Olmstead and P. K. Mascharak, Structural and Spectroscopic Evidence for Linkage Isomerism of Bound Nitrite in a {Fe-NO}⁶ Nitrosyl Derived from a Tetradentate Dicarboxamide Ligand: More Parallels between Heme and Non-Heme Systems. **Invited paper**, *Inorg. Chim. Acta* (Special A. Chakravorty issue), **2010**, 363, 2715-2719.

160. G. M. Halpenny, K. R. Gandhi and P. K. Mascharak, Eradication of Pathogenic Bacteria by Remote Delivery of NO via Light-triggering of Nitrosyl-containing Materials. *ACS Med. Chem. Lett.* **2010**, *1*, 180-183.
159. M. J. Rose, N. M. Betterley, A. G. Oliver and P. K. Mascharak, Binding of Nitric Oxide (NO) to a Synthetic Model of Iron-Containing Nitrile Hydratase and Its Photorelease: Relevance to Photoregulation of Fe-NHase by NO. *Inorg. Chem.* **2010**, *49*, 1854-1864.
158. N. L. Fry, M. J. Rose, D. L. Rogow, C. Nyitray, M. Kaur and P. K. Mascharak, Ruthenium Nitrosyls Derived from Tetradentate Ligands Containing Carboxamido-N and Phenolato-O Donors: Syntheses, Structures, Photolability and Time Dependent Density Functional Theory Studies. *Inorg. Chem.* **2010**, *49*, 1487-1495.
157. A. A. Eroy-Reveles and P. K. Mascharak, Nitric Oxide-donating Materials and Their Potential in Pharmacological Applications. *Future Medicinal Chemistry* **2009**, *1*(8), 1497-1507.
156. G. M. Halpenny, R. C. Steinhardt, K. A. Okialda and P. K. Mascharak, Characterization of pHEMA-based Hydrogels that Exhibit Light-induced Bactericidal Effect via Release of Light. *J. Mat. Sci: Med. Sci.* **2009**, *20*, 2353-2360.
155. C. G. Hoffman-Luca, A. A. Eroy-Reveles, J. Alvarenga and P. K. Mascharak, Syntheses, Structures, and Photochemistry of Novel Manganese Nitrosyls Derived from Designed Schiff Base Ligands: Potential NO Donors that can be Activated by Near-Infrared Light. *Inorg. Chem.* **2009**, *48*, 9104-9111.
154. M. J. Rose and P. K. Mascharak, Photosensitization of Ruthenium Nitrosyls to Visible Light with an Isoelectronic Series of Heavy-Atom Chromophores: Experimental and DFT Studies on the Effects of O, S, and Se-substituted Coordinated Dyes. *Inorg. Chem.* **2009**, *48*, 6904-6917.
153. M. J. Rose, N. M. Betterley and P. K. Mascharak, Thiolate S-oxygenation Controls Nitric Oxide (NO) Photolability of a Iron Nitrile Hydratase (Fe-NHase) Model Derived from Mixed Carboxamide/Thiolate Ligand. *J. Am. Chem. Soc.* **2009**, *131*, 8340-8341.
152. G. M. Halpenny and P. K. Mascharak, Accelerated Photorelease of NO from {Ru-NO}⁶ Nitrosyls Containing Carboxamido-N and Carboxylato-O Donors: Syntheses, Structures and Photochemistry. *Inorg. Chem.* **2009**, *48*, 1490-1497.
151. N. L. Fry, M. J. Rose, C. Nyitray and P. K. Mascharak, Facile Ligand oxidation and Ring Nitration in Ruthenium Complexes Derived from a Ligand with Dicarboxamide-N and Phosphine-P Donors. *Inorg. Chem.* **2008**, *47*, 11604-11610.
150. M. J. Rose and P. K. Mascharak, Photoactive Ruthenium Nitrosyls: Effects of Light and Potential Application as NO Donors. *Coord. Chem. Rev.* **2008**, *252*, 2093-2114.
149. M. J. Rose, N. L. Fry, R. Marlow, L. Hinck and P. K. Mascharak, Sensitization of Ruthenium Nitrosyls to Visible Light via Direct Coordination of the Dye Resorufin: Trackable NO Donors for Light-triggered NO Delivery to Cellular Targets. *J. Am. Chem. Soc.* **2008**, *130*, 8834-8846.
Highlighted in *Biophotonics*, September, 2009
148. M. J. Rose and P. K. Mascharak, A Photosensitive {Ru-NO}⁶ Nitrosyl Bearing Dansyl Chromophore: Novel NO Donor with a Fluorometric On/Off Switch. *Chem. Commun.* **2008**, 3933-3935.

147. M. J. Rose and P. K. Mascharak, Fiat Lux: Selective Delivery of High Flux of Nitric Oxide (NO) to Biological Targets Using Photoactive Metal Nitrosyls. *Curr. Opin. Chem. Biol.* **2008**, *12*, 238-244.
146. A. A. Eroy-Reveles, Y. Leung, C. M. Beavers, M. M. Olmstead and P. K. Mascharak, Near-Infrared Light Activated Release of Nitric Oxide from Designed Photoactive Manganese Nitrosyls: Strategy, Design and Potential as NO Donors, *J. Am. Chem. Soc.* **2008**, *130*, 4447-4458.
145. A. A. Eroy-Reveles, G. Hoffman-Luca, M. M. Olmstead, and P. K. Mascharak, Formation of a Triply Bridged μ -oxo Diiron(III) Core Stabilized by Two Deprotonated Carboxamide Groups upon Photorelease of NO from a $\{\text{Fe-NO}\}^6$ Iron Nitrosyl, *J. Chem. Soc. Dalton Trans.* **2007**, 5268-5274.
144. M. J. Rose, M. M. Olmstead and P. K. Mascharak, Photoactive Ruthenium Nitrosyls Derived from Quinoline- and Pyridine-based Ligands: Accelerated Photorelease of NO due to Quinoline Ligation, *Invited paper, Polyhedron* **2007**, *26*, 4713-4718.
143. G. M. Halpenny and P. K. Mascharak, Incorporation of A Designed Ruthenium Nitrosyl in PolyHEMA Hydrogel and Light-activated Delivery of NO to Myoglobin. *Inorg. Chem.* **2007**, *46*, 6601-6606.
142. M. J. Rose, M. M. Olmstead and P. K. Mascharak, Photosensitization via Dye Coordination: A New Strategy to Synthesize Metal Nitrosyls that Release NO under Visible Light, *J. Am. Chem. Soc.* **2007**, *129*, 5342-5343.
141. M. J. Rose, A. K. Patra, E. A. Alcid, M. M. Olmsted and P. K. Mascharak, Ruthenium Nitrosyls Derived from Polypyridine Ligands with Carboxamide or Imine Nitrogen Donor(s): Isoelectronic Complexes with Different NO Photolability. *Inorg. Chem.* **2007**, *46*, 2328-2338.
140. M. Madhani, A. K. Patra, T. W. Miller, A. A. Eroy-Reveles, A. Hobbs, J. M. Fukuto and P. K. Mascharak, Biological Activity of Designed Photolabile Nitrosyls: Light-Dependent Activation of Soluble Guanylate Cyclase and Vasorelaxant Properties in Rat Aorta. *J. Med. Chem.* **2006**, *49*, 7325-7330.
139. R. K. Afshar, A. A. Eroy-reveles, M. M. Olmstead and P. K. Mascharak, Stoichiometric and Catalytic Secondary O-Atom Transfer by Fe(III)-NO₂ Complexes Derived from a Planar Tetradentate Non-Heme Ligand: Reminiscence of Heme Chemistry. *Inorg. Chem.* **2006**, *45*, 10347-10354.
138. R. K. Afshar, K. E. Granados, M. M. Olmstead and P. K. Mascharak, Unusual Iron-mediated C-N Bond Formation and Synthesis of the Fe(III) Complex of a Polypyridine Ligand with one Carboxamide Group. *Inorg. Chem. Commun.* **2006**, *9*, 1286-1288.
137. I. Szundi, M. Rose, I. Sen, A. A. Eroy-Reveles, P. Mascharak and O. Einarsdottir, A New Approach for Studying Fast Biological Reactions Involving Nitric Oxide: Generation of NO Using Photolabile Ruthenium and Manganese NO Donors. *Photochem. Photobiol.* **2006**, *82*, 1377-1384.
136. R. K. Afshar, R. Bhalla, J. M. Rowland, M. M. Olmstead and P. K. Mascharak, Syntheses, Structures, and Properties of Co(III) Complexes Derived from Polypyridine Ligands Containing One Carboxamido Nitrogen Donor. *Inorg. Chim. Acta* **2006**, *359*, 4105-4113.

135. A. A. Eroy-Reveles, Y. Leung and P. K. Mascharak, Release of Nitric oxide from a Sol-gel Hybrid Material Containing a Photoactive Manganese Nitrosyl upon Illumination with Visible Light. *J. Am. Chem. Soc.* **2006**, *128*, 7166-7167.
134. R. Afshar, A. K. Patra, E. Bill, M. M. Olmstead and P. K. Mascharak, Synthesis, Structure, and Properties of an Fe(II) Carbonyl [(PaPy₃)Fe(CO)](ClO₄): Insight into the Reactivity of Fe(II)-CO and Fe(II)-NO Moieties in Non-heme Iron Chelates of N-donor Ligands. *Inorg. Chem.* **2006**, *45*, 3774-3781.
133. T. C. Harrop, M. M. Olmstead and P. K. Mascharak, Synthetic Analogues of the Active Site of the A-Cluster of Acetyl Coenzyme A Synthase/CO Dehydrogenase: Syntheses, Structures, and Reactions with CO. *Inorg. Chem.* **2006**, *45*, 3424-3436.
132. T. C. Harrop, M. M. Olmstead and P. K. Mascharak, Modeling the Active Site of Nitrile Hydratase: Synthetic Strategies to Ensure Simultaneous Coordination of Carboxamido-N and Thiolato-S to Fe(III) Centers. *Inorg. Chem.* **2005**, *44*, 9527-9533.
131. T. C. Harrop and P. K. Mascharak, Structural and Spectroscopic Models of the A-Cluster of Acetyl Coenzyme A Synthase/Carbon Monoxide Dehydrogenase: Nature's Monsanto Acetic Acid Catalyt. *Coord. Chem. Rev.* **2005**, *249*, 3007-3024.
130. K. Ghosh, A. A. Eroy-Reveles, M. M. Olmstead and P. K. Mascharak, Reductive Nitrosylation and Proton-Assisted Bridge Splitting of a (μ -oxo)-Dimanganese(III) Complex Derived from a Polypyridine Ligand with one Carboxamide Group. *Inorg. Chem.* **2005**, *44*, 8469-8475.
129. T. C. Harrop, M. M. Olmstead and P. K. Mascharak, Unusual Role of Solvents in the Syntheses of {Fe-NO}^{6,7} Nitrosyls Derived from a Ligand with Carboxamido Nitrogen and Thiolato Sulfur Donors. *Inorg. Chem.* **2005**, *44*, 6918-6920.
128. R. K. Afshar, A. K. Patra and P. K. Mascharak, Light-Induced Inhibition of Papain by a {Mn-NO}⁶ Nitrosyl: Identification of Papain-SNO Adduct by Mass Spectrometry. *J. Inorg. Biochem.* **2005**, *99*, 1458-1464.
127. T. C. Harrop, M. M. Olmstead and P. K. Mascharak, Structural Models of the Bimetallic Subunit at the A-Cluster of Acetyl Coenzyme A Synthase/CO Dehydrogenase: Binuclear Sulfur-Bridged Ni-Cu and Ni-Ni Complexes and Their Reactions with CO. *J. Am. Chem. Soc.* **2004**, *126*, 14714-14715.
126. R. K. Afshar, A. K. Patra, M. M. Olmstead and P. K. Mascharak, Syntheses, Structures and Reactivities of {Fe-NO}⁶ Nitrosyls Derived from Polypyridine-Carboxamide Ligands: Photoactive NO-donors and Reagents for S-nitrosylation of Alkyl Thiols. *Inorg. Chem.* **2004**, *43*, 5736-5743.
125. T. C. Harrop, M. M. Olmstead and P. K. Mascharak, Binding of CO to Structural Models of the Bimetallic Subunit at the A-Cluster of Acetyl Coenzyme A Synthase/CO Dehydrogenase. *J. Chem. Soc. Chem. Commun.* **2004**, 1744-1745.
124. A. K. Patra, M. J. Rose, K. Murphy, M. M. Olmstead and P. K. Mascharak, Photolabile Ruthenium Nitrosyls with Planar Dicarboxamide Tetradentate N₄ Ligands: Effects of In-plane and Axial Ligand Strength on NO Release. *Inorg. Chem.* **2004**, *43*, 4487-4495.
123. A. K. Patra, M. J. Rose, M. M. Olmstead and P. K. Mascharak, Reactions of Nitric Oxide with a Low-Spin Fe(III) Center Ligated to a Tetradentate Dicarboxamide N₄ Ligand: Parallels between Heme and Non-Heme Systems. *J. Am. Chem. Soc.* **2004**, *126*, 4780-4781.

122. K. Ghosh, A. A. Eroy-Reveles, B. Avila, T. R. Holman, M. M. Olmstead and P. K. Mascharak, Reactions of NO with Mn(II) and Mn(III) Center Coordinated to Carboxamido Nitrogen: Synthesis of a Manganese Nitrosyl with Photolabile NO. *Inorg. Chem.* **2004**, *43*, 2988-2997.
121. T. C. Harrop and P. K. Mascharak, Fe(III) and Co(III) Centers with Carboxamido Nitrogen and Modified Sulfur Coordination: Lessons Learned from Nitrile Hydratase. *Acc. Chem. Res.* **2004**, *37*, 253-260.
120. A. K. Patra, M. M. Olmstead and P. K. Mascharak, A Ruthenium Nitrosyl That Delivers NO to Proteins in Aqueous Solution Upon Short Exposure to UV Light. *Inorg. Chem.* **2003**, *42*, 7363-7365.
119. A. K. Patra, J. M. Rowland, D. S. Marlin, E. Bill, M. M. Olmstead and P. K. Mascharak, Iron-nitrosyls of a Pentadentate Ligand Containing a Single Carboxamide Group: Syntheses, Structures, Electronic Properties and Photolability of NO. *Inorg. Chem.* **2003**, *42*, 6812-6823.
118. A. K. Patra, R. K. Afshar, J. M. Rowland, M. M. Olmstead and P. K. Mascharak, Thermally-Induced Stoichiometric and Catalytic O Atom Transfer by a Non-heme Iron(III)-Nitro Complex: First Example of reversible $\{\text{Fe-NO}\}^7 \leftrightarrow \text{Fe}^{\text{III}}\text{-NO}_2$ Transformation in presence of Dioxygen. *Angew. Chem. Intl. Ed. Eng.* **2003**, *42*, 4517-4521.
Highlighted in Chemical and Engineering News Science Section, October 6, 2003, p.24
117. L. A. Tyler, J. C. Noveron, M. M. Olmstead and P. K. Mascharak, Modulation of the pK_a of metal-bound Water Via Oxidation of Thiolato Sulfur in Model Complexes of Co(III)-Containing Nitrile Hydratase: Insight into Possible Effect of Cysteine Oxidation in Co-Nitrile Hydratase. *Inorg. Chem.* **2003**, *42*, 5751-5761.
116. T. C. Harrop, K. Rodriguez and P. K. Mascharak, Convenient One-Pot Synthesis of N,N'-bis(2-mercaptophenyl)pyridine-2,6-dicarboxamide and N-2-mercaptophenyl-2-pyridinecarboxamide Without Protection of the Thiol Group. *Synth. Commun.* **2003**, *33*, 1943-1949.
115. D. S. Marlin, M. M. Olmstead and P. K. Mascharak, Reaction of (μ -oxo)Diiron(III) Core with CO_2 in N-methylimidazole: Formation of Momo(μ -carboxylato)(μ -oxo)Diiron(III) Complexes with N-methylimidazole as Ligands. *Inorg. Chem.* **2003**, *42*, 1681-1687.
114. T. C. Harrop, M. M. Olmstead and P. K. Mascharak, Dioxygen Activation by a Dinuclear Nickel Thiolate Complex: Structural Characterization of the Ligand Oxidized Product. *J. Chem. Soc. Chem. Commun.* **2003**, 410-411.
113. T. C. Harrop, L. A. Tyler, M. M. Olmstead and P. K. Mascharak, Change in the Spin State of Fe(III) Center upon one N-to-O Switch in the Coordination of 2,6-pyridinedicarboxamido Unit: Effect of Methyl Thioether and Methyl Ether Appendages at Ligand Periphery. *Eur. J. Inorg. Chem.* **2003**, 475-481.
112. A. K. Patra, M. M. Olmstead and P. K. Mascharak, Spontaneous Reduction of a Low-spin Fe(III) Complex of a Neutral Pentadentate N_5 Schiff base Ligand to the Corresponding Fe(II) Species in Acetonitrile. *Inorg. Chem.* **2002**, *41*, 5403-5409.
111. T. C. Harrop, M. M. Olmstead and P. K. Mascharak, Novel Folding of N,N'-naphthalenebis(omercap-tobenzamide) in Nickel(II) Complexes: Monomeric and Trimeric Species with unexpected "Butterfly" and "Slant Chair" Structure. *Inorg. Chim. Acta* **2002**, *338*, 189-195.

110. L. A. Tyler, M. M. Olmstead and P. K. Mascharak, Modulation in the Reactivity of Imine Group by Aryl and Alkyl Thiolato Sulfur on Ligands Coordinated to Co(III) Center: Relevance to the Co-containing Enzyme Nitrile Hydratase. *Inorg. Chim. Acta* **2002**, 338, 196-200.
109. A. K. Patra, R. Afshar, M. M. Olmstead and P. K. Mascharak, The First Non-Heme Iron(III) Complex with Ligated Carboxamido Group that Exhibits Photolability of Bound NO Ligand. *Angew. Chem. Intl. Ed. Eng.* **2002**, 41, 2512-2515.
Highlighted in *Chemical and Engineering News Science Section*, July 15, 2002, p.30
108. J. M. Rowland, M. M. Olmstead and P. K. Mascharak, Synthesis, Structure and properties of Bis[N,N'-bis(2-pyridylmethyl)amine-N-ethyl-2-pyridine-2-carboxamidecopper(II)] Perchlorate. *Inorg. Chim. Acta*, **2002**, 332, 37-40.
107. J. M. Rowland, M. M. Olmstead and P. K. Mascharak, Chiral Monomeric and Homochiral Dimeric Cu(II) Complexes of a new Chiral Ligand, N-(1,2-Bis(2-pyridyl)ethyl)pyridine-2-carboxamide: An Example of Molecular Self-Recognition. *Inorg. Chem.* **2002**, 41, 1545-1549.
Highlighted in *Today's Chemist at Work*, Science Section, May, 2002
106. J. M. Rowland, M. M. Olmstead and P. K. Mascharak, Unusual Reactivity of Methylene Group Adjacent to Pyridine-2-Carboxamido Moiety in Iron(III) and Cobalt(III) Complexes. *Inorg. Chem.* **2002**, 47, 2754-2760.
105. P. K. Mascharak, Structural and Functional Models of Nitrile Hydratase. *Coord. Chem. Rev.* **2002**, 225, 201-214.
104. D. S. Marlin, M. M. Olmstead and P. K. Mascharak, Spin States and Stability of Fe^{III} Complexes of Ligands with carboxamido Nitrogen and Phenolato Oxygen Donors. *Eur. J. Inorg. Chem.* **2002**, 859-865.
103. J. M. Rowland, G. J. Ibanez, M. M. Olmstead and P. K. Mascharak, The Structure of Nitrilotrisacetanilide. *Acta Cryst.* **2001**, E57, 1001-1003.
102. J. M. Rowland, M. M. Olmstead and P. K. Mascharak, The Structure of [Co(bpb)(Cl)(pyridine)].2CHCl₃ (bpbH₂ = N,N'-bis(2'-pyridinecarboxamide)-1,2-benzene). *Acta Cryst.* **2001**, E57, m368-m370.
101. D. S. Marlin, M. M. Olmstead and P. K. Mascharak, Heterolytic Cleavage of the C-C Bond of Acetonitrile with Simple Monomeric Cu(II) Complexes: Melding Old Copper Chemistry with New Reactivity. *Angew. Chem. Intl. Ed.* **2001**, 40, 4752-4754.
100. D. S. Marlin, M. M. Olmstead and P. K. Mascharak, Bis-(N,N'-bis[2-(2-pyridyl)methyl]pyridine-2,6-dicarboxamido)-dicopper(II): Spontaneous Formation of a Short Double Stranded Helicate. *Inorg. Chim. Acta*, **2001**, 323, 1-4.
99. L. A. Tyler, M. M. Olmstead and P. K. Mascharak, Thioether Ligation in Co(III) Complexes with Carboxamido Nitrogens as Donors: Implications in the Coordination Structure of the Cobalt Site in Nitrile Hydratase. *Inorg. Chim. Acta*, **2001**, 321, 135-141.
98. D. S. Marlin, M. M. Olmstead and P. K. Mascharak, Structure-Spectroscopy Correlation in Distorted Five-Coordinate Cu(II) Complexes: A Case Study with a Set of Closely Related Copper Complexes of Pyridine-2,6-carboxamide Ligands. *Inorg. Chem.* **2001**, 40, 7003-7008.

97. L. A. Tyler, M. M. Olmstead and P. K. Mascharak, Conversion of Azomethine Moiety to Carboxamido Group at Cobalt(III) Center in Model Complexes of Co-containing Nitrile Hydratase. *Inorg. Chem.* **2001**, *40*, 5408-5414.
96. J. M. Rowland, M. M. Olmstead and P. K. Mascharak, Syntheses, Structures, and Reactivity of Low Spin Iron(III) Complexes Containing a Single Carboxamido Nitrogen in a [FeN₃L] Chromophore. *Inorg. Chem.* **2001**, *40*, 2810-2817.
95. J. C. Noveron, M. M. Olmstead and P. K. Mascharak, A Synthetic Analogue of the Active site of Fe-containing Nitrile Hydratase with Carboxamido N and Thiolato S as Donors: Synthesis, Structure and Reactivities. *J. Am. Chem. Soc.* **2001**, *123*, 3247-3259.
94. J. M. Rowland, M. L. Thornton, M. M. Olmstead and P. K. Mascharak, Structure Variation due to Ligand Flexibility: Syntheses and Structures of the Copper(II) Complexes [Cu(APPy)] and [Cu₂(AEPy)₂] where APPyH₂ = bis[3-(2-pyridinecarbox-amido)propyl]methylamine and AEPyH₂ = bis[3-(2-pyridinecarbox-amido)ethyl]methylamine. *Inorg. Chem.* **2001**, *40*, 1069-1073.
93. H. Wang, C. Y. Ralston, D. S. Patil, R. M. Jones, W. Gu, M. Verhagen, M. Adams, P. Ge, C. Riordan, C. A. Marganian, P. Mascharak, J. Kovacs, C. G. Miller, T. J. Collins, S. Brooker, P. D. Croucher, K. Wang, E. I. Stiefel and S. P. Cramer, Nickel L-edge Soft X-ray Spectroscopy of Nickel-Iron Hydrogenases and Model Compounds - Evidence for High-spin Nickel(II) in the active Enzyme. *J. Am. Chem. Soc.* **2000**, *122*, 10544-10552.
92. J. M. Rowland, M. M. Olmstead and P. K. Mascharak, Monomeric and Dimeric Copper(II) Complexes of a Novel Tripodal Peptide Ligand: Structures Stabilized via Hydrogen Bonding or Ligand Sharing. *Inorg. Chem.* **2000**, *39*, 5326-5332.
91. D. S. Marlin, M. M. Olmstead and P. K. Mascharak, Extended Structures Controlled by Intramolecular and Intermolecular Hydrogen Bonding: A Case Study with Pyridine-2,6-dicarboxamide, 1,3-Benzenedicarbox-amide and N,N'-dimethyl-2,6-pyridinedicarboxamide. *J. Mol. Struct.*, **2000**, *554*, 211-223.
90. L. A. Tyler, J. C. Noveron, M. M. Olmstead and P. K. Mascharak, Cobalt(III) Complexes with Coordinated Carboxamido Nitrogens and Thiolato Sulfurs as Models for Co-containing Nitrile Hydratase and their Conversion to the Corresponding Sulfinato Species. *Inorg. Chem.* **2000**, *39*, 357-362.
89. D. S. Marlin and P. K. Mascharak, Coordination of Carboxamido Nitrogen to Tervalent Iron: Insight into a new Chapter of Iron Chemistry. *Chem. Soc. Rev.* **2000**, *29*, 69-74.
88. F. A. Chavez and P. K. Mascharak, Structure-Reactivity Correlations in Cobalt(III)-Alkylperoxo Complexes and Their Role in Cobalt-Catalyzed Oxidation of Hydrocarbons. *Acc. Chem. Res.* **2000**, *33*, 539-545.
87. D. S. Marlin, M. M. Olmstead, and P. K. Mascharak, Chemistry of Iron(III) Complexes of N,N'-bis(2-hydroxyphenyl)-pyridine-2,6-dicarboxamide: Seven-coordinate Iron(III) Complexes Ligated to Deprotonated carboxamido Nitrogens. *Inorg. Chim. Acta* (Special Stephen J. Lippard issue), **2000**, *297*, 106-114.
86. D. S. Marlin, M. M. Olmstead, and P. K. Mascharak, Carboxamido Nitrogens are Good Donors for Fe(III): Syntheses, Structures, and Properties of Two Low-spin Nonmacrocyclic Iron(III) Complexes with Tetracarboxamido-N Coordination. *Inorg. Chem.* **1999**, *38*, 3258-3260.
85. J. C. Noveron, M. M. Olmstead, and P. K. Mascharak, Cobalt(III) Complexes with Carboxamido N and Thiolato S Donor Centers: Models for the Active Site of Co-containing Nitrile Hydratases. *J. Am. Chem. Soc.* **1999**, *121*, 3553-3554.
84. F. A. Chavez, J. A. Briones, M. M. Olmstead, and P. K. Mascharak, Syntheses and Structures of Alkyl Peroxo Adducts of β -Diketonate Cobalt(III) Complexes and their Role in Oxidation of Hydrocarbons and Olefin Epoxidation. *Inorg. Chem.* **1999**, *38*, 1603-1608.

83. L. A. Tylor, J. C. Noveron, M. M. Olmstead, and P. K. Mascharak, Oxidation of Metal-bound Thiolato Sulfur Centers in Fe(III) and Cobalt(III) Complexes with Carboxamido Nitrogens and Thiolato Sulfurs as Donors: Relevance to the Active Sites of Nitrile Hydratases. *Inorg. Chem.* **1999**, *38*, 616-617.
82. J. C. Noveron, R. Herradora, M. M. Olmstead, and P. K. Mascharak, Low-spin Iron(III) Complexes with N,S Coordination: Syntheses, Structures, and Properties of Bis(*N*-2-mercaptophenyl-2'-pyridylmethyleniminato)iron(III) tetraphenylborate and Bis(*N*-2-mercapto-2-methylpropyl-2'-pyridylmethyleniminato)iron(III) tetraphenylborate. *Inorg. Chim. Acta* **1999**, *285*, 269-276.
81. F. A. Chavez, J. M. Rowland, M. M. Olmstead, and P. K. Mascharak, Syntheses, Structures, and Reactivities of Cobalt(III)-Alkylperoxo Complexes and Their Role in Stoichiometric and Catalytic Oxidation of Hydrocarbons. *J. Am. Chem. Soc.* **1998**, *120*, 9015-9027.
80. J. C. Noveron, M. M. Olmstead, and P. K. Mascharak, Effect of Carboxamido N Coordination to Iron on the Redox Potential of Low-spin Non-heme Iron Centers with N,S Coordination: Relevance to the Iron Site of Nitrile Hydratase. *Inorg. Chem.* **1998**, *37*, 1138-1139.
79. F. A. Chavez, M. M. Olmstead, and P. K. Mascharak, Synthesis, Structure, and Properties of {*N,N'*-Bis[2-(1-pyrazolyl)ethyl]pyridine-2,6-dicarboxamido} copper(II). *Inorg. Chim. Acta*, **1998**, *269*, 269-273.
78. F. A. Chavez, M. M. Olmstead, and P. K. Mascharak, Pyrazole Ligation to Cobalt(III) Center: Syntheses, Structures, and Properties of Cobalt(III) Complexes of {*N,N'*-Bis[2-(1-pyrazolyl)ethyl]pyridine-2,6-dicarboxamide}. *Inorg. Chem.* **1997**, *36*, 6323-6327.
77. E. T. Farinas, C. V. Nguyen and P. K. Mascharak, Photoinduced Oxidation of Hydrocarbons with Cobalt(III)-alkylperoxy Complexes. *Inorg. Chim. Acta* (Special Richard Holm issue) **1997**, *263*, 17-21.
76. F. A. Chavez, C. V. Nguyen, M. M. Olmstead, and P. K. Mascharak, Synthesis, Properties, and Structure of a Stable Cobalt(III) Alkyl Peroxide Complex and its Role in the Oxidation of Cyclohexane. *Inorg. Chem.* **1996**, *35*, 6282-6291.
75. C. V. Nguyen, R. J. Guajardo and P. K. Mascharak, [Fe^{III}(PMA)]²⁺: A Mononuclear Non-heme Iron Complex that Catalyzes Alkane Oxidation. *Inorg. Chem.* **1996**, *35*, 6273-6281.
74. P. J. van Dam, E. J. Reijerse, M. J. van der Meer, R. Guajardo, P. K. Mascharak, and E. de Boer, A Systematic Approach for Studying Cu Imidazole Interactions Using Multi-Frequency ESEEM: Application to Cu(II)-Bleomycin and Model Systems. *Appl. Magn. Reson.* **1996**, *10*, 71-86.
73. C. M. Goldman, M. M. Olmstead and P. K. Mascharak, Discrete Mononuclear and Dinuclear Nickel(II) Complexes of Alkyl and Aryl Selenolates: Syntheses, Structures and Properties of (Et₄N)₂[Ni₂(Se(CH₃)₂Se)₃], (Ph₄P)₂[Ni(SePh)₄], and (Ph₄P)₂[Ni₂(μ-2,4,6-(Me)₃C₆H₂Se)₂(2,4,6-(Me)₃C₆H₂Se)₄]·8CH₃CN. *Inorg. Chem.* **1996**, *35*, 2752-2757.
72. F. A. Chavez, M. M. Olmstead, and P. K. Mascharak, Synthesis, Structure and Properties of {*N,N'*-bis[2(2-pyridyl)ethyl]pyridine-2,6-dicarboxamido}Copper(II). *Inorg. Chem.* **1996**, *35*, 1410-1412.
71. E. T. Farinas, J. D. Tan, and P. K. Mascharak, Photoinduced DNA Cleavage Reactions by Designed Analogues of Cobalt(III)-Bleomycin: The Metallated Core is the Primary Determinant of Sequence Specificity. *Inorg. Chem.* **1996**, *35*, 2637-2643.
70. C. M. Goldman, and P. K. Mascharak, Reactions of H₂ with the Nickel Site(s) of the [FeNi] and [FeNiSe] Hydrogenases: What do the Model Complexes Suggest? *Comments on Inorganic Chemistry* **1995**, *18*, 1-25.
69. E. T. Farinas and P. K. Mascharak, Syntheses, Structures and Reactivities of Designed Analogues of Cobalt(III)-Bleomycins: Insight into the Mechanism of Sequence-specific DNA Cleavage upon Illumination, Invited Review in *Proc. Natl. Acad. Sci., India*, **1995**, *107*, 459-476.

68. K. E. Loeb, J. M. Zaleski, T. E. Westre, R. J. Guajardo, P. K. Mascharak, B. Hedman, K. O. Hodgson and E. I. Solomon, Spectroscopic Definition of the Geometric and Electronic Structure of the Non-Heme Iron Site in Fe(II)-Bleomycin: Correlation with Oxygen Reactivity. *J. Am. Chem. Soc.* **1995**, *117*, 4545-4561.
67. R. J. Guajardo, F. Chavez, E. Farinas, and P. K. Mascharak, Structural Features that Control Oxygen Activation at the Non-Heme Iron Site in Fe(II)-Bleomycin: An Analogue Study. *J. Am. Chem. Soc.* **1995**, *117*, 3883-3884.
66. J. Van Elp, G. Peng, Z. H. Zhou, M. W. W. Adams, N. Baidya, P. K. Mascharak and S. P. Cramer, Nickel L-Edge X-ray Absorption Spectroscopy of *Pyrococcus furiosus* Hydrogenase. *Inorg. Chem.* **1995**, *34*, 2501-2504.
65. C. A. Marganian, H. Vazir, N. Baidya, M. M. Olmstead and P. K. Mascharak, Toward Functional Models of the Nickel Sites in [FeNi] and [FeNiSe] Hydrogenases: Syntheses, Structures and Reactivities of Ni(II) Complexes Containing [NiN₃S₂] and [NiN₃Se₂] Chromophores. *J. Am. Chem. Soc.* **1995**, *117*, 1584-1594.
64. R. J. Guajardo and P. K. Mascharak, Lipid Peroxidation by Synthetic Analogues of Iron Bleomycin: The Possible Role of a Low-spin {Hydroperoxo}Fe(III) Intermediate in Lipid Peroxidation Induced by Bleomycin. *Inorg. Chem.* **1995**, *34*, 802-808.
63. E. Farinas, N. Baidya and P. K. Mascharak, Electron Paramagnetic Resonance Studies on the Formation and Decomposition of the Oxygenated Product of [Co^{II}(PMA)]⁺, a Synthetic Analogue of Cobalt(II)-Bleomycin. *Inorg. Chem.* **1994**, *33*, 5970-5973.
62. J. D. Tan, E. T. Farinas, S. S. David and P. K. Mascharak, NMR Evidence of Sequence Specific DNA Binding by a Cobalt(III)-Bleomycin Analogue with Tethered Acridine. *Inorg. Chem.* **1994**, *33*, 4295-4308.
61. R. J. Guajardo, J. D. Tan and P. K. Mascharak, The Secondary Amine Group of Bleomycin is not Involved in Intramolecular Hydrogen-bonding in "Activated Bleomycin." *Inorg. Chem.* **1994**, *33*, 2838-2840.
60. R. J. Guajardo, S. E. Hudson, S. J. Brown and P. K. Mascharak, [Fe(PMA)]ⁿ⁺ (n = 1,2): Good Models of Fe-Bleomycins and also Examples of Mononuclear Non-heme Iron Complexes with Significant O₂-activation Capabilities. *J. Am. Chem. Soc.* **1993**, *115*, 7971-7977.
59. E. Farinas, J. D. Tan, N. Baidya and P. K. Mascharak, A Designed Synthetic Analogue of Cobalt(III)-Bleomycin with Enhanced DNA-binding and Photocleaving Activity. *J. Am. Chem. Soc.* **1993**, *115*, 2996-2997.
58. N. Baidya, M. M. Olmstead and P. K. Mascharak, A Mononuclear Nickel(II) Complex with [NiN₃S₂] Chromophore that Readily Affords the Ni(I) and Ni(III) Analogues: Probe into the Redox Behavior of the Nickel Site in [FeNi] Hydrogenases. *J. Am. Chem. Soc.* **1992**, *114*, 9666-9668.
57. N. Baidya, M. M. Olmstead and P. K. Mascharak, Nickel(II) Complexes with [NiN_xSe_y] Chromophore in Different Coordination Geometries: Search for a Model of the Active Site of [FeNiSe] Hydrogenases. *Inorg. Chem.* **1992**, *31*, 2999-3000.
56. A. Hüttenhofer, S. Hudson, H. F. Noller and P. K. Mascharak, Cleavage of tRNA by Fe(II)-bleomycin. *J. Biol. Chem.* **1992**, *267*, 24471-24475.
55. M. A. Hamdan, R. C. Guzman, J. Yang, C. Beattie, P. K. Mascharak and S. Nandi, Depletion of O⁶-alkylguanine-DNA alkyltransferase by O⁶-benzylguanine in 3-dimensional collagen cultures of normal human breast epithelial cells. *Carcinogenesis* **1992**, *13*, 1743-1749.
54. C. Marganian, N. Baidya, M. M. Olmstead and P. K. Mascharak, Discrete Mononuclear Ni(II) Selenolate: Syntheses, Structures and Properties of K₂[Ni(SeCH₂CH₂Se)₂]·2C₂H₅OH and (Me₄N)₂[Ni(SeCH₂CH₂Se)₂]·1·2H₂O. *Inorg. Chem.* **1992**, *31*, 2992-2994.

53. N. Baidya, M. M. Olmstead, J. P. Whitehead, M. J. Maroney and P. K. Mascharak, X-ray Absorption spectra of Nickel Complexes with N₃S₂ Chromophore and Spectroscopic Studies on H⁻ and CO Binding at these Nickel Centers: Relevance to the Reactivity of the Nickel Site(s) in [FeNi] Hydrogenases. *Inorg. Chem.* **1992**, *31*, 3612-3619.
52. D. Y. Dawson, S. E. Hudson, P. K. Mascharak, Oxygen Transfer Reactions by Synthetic Analogues of Iron-Bleomycin. *J. Inorg. Biochem.* **1992**, *47*, 109-117.
51. J. Tan, S. E. Hudson, S. J. Brown, M. M. Olmstead and P. K. Mascharak, Syntheses, Structures, and Reactivities of Synthetic Analogues of the Three Forms of Cobalt(III)-Bleomycin: Proposed Mode of Light-induced DNA Damage by the Cobalt(III) Chelate of the Drug. *J. Am. Chem. Soc.* **1992**, *114*, 3841-3853.
50. N. Baidya, M. M. Olmstead and P. K. Mascharak, The Structure and Properties of Bis(D-penicillaminato-N,S)nickelate(II).4 Hydrate: A Monomeric Nickel Complex of D-penicillamine, the Antidote for Nickel Toxicity. *Inorg. Chem.* **1991**, *30*, 3967-3969.
49. N. Baidya, D. Ndreu, M. M. Olmstead and P. K. Mascharak, Synthesis, Structure, and Properties of Potassium Bis(L-Cysteinato-N,S) nickelate(II), 1.5 Hydrate. *Inorg. Chem.* **1991**, *30*, 2448-2451.
48. M. J. Maroney, G. J. Colpas; C. Bagyinka, N. Baidya, and P. K. Mascharak, EXAFS Investigations of the Ni Site in Thiocapsa roseopersicina Hydrogenase: Evidence for a Novel Ni, Fe, S cluster. *J. Am. Chem. Soc.* **1991**, *113*, 3962-3972.
47. N. Baidya, M. Olmstead, P. K. Mascharak, Pentacoordinated Nickel(II) Complexes with Thiolato Ligation: Synthetic Strategy, Structures and Properties. *Inorg. Chem.* **1991**, *30*, 929-937.
46. G. J. Colpas, M. J. Maroney, C. Bagyinka, M. Kumar, W. Willis, N. Baidya and P. K. Mascharak, X-ray Spectroscopic Studies of Nickel Complexes with Application to the Structure of Ni Sites in Hydrogenases. *Inorg. Chem.* **1991**, *30*, 920-928.
45. L. A. Scheich, P. Gosling, S. J. Brown, M. M. Olmstead and P. K. Mascharak, Synthetic Analogue Approach to Metallobleomycins: Possibility of Coordination of the Carboxamide Group of the β-Aminoalaninamide Moiety of Bleomycin to Copper in Copper(II)-Bleomycin at Physiological pH. *Inorg. Chem.* **1991**, *30*, 1677-1680.
44. N. Baidya, D. W. Stephan, C. F. Campagna and P. K. Mascharak, Mononuclear Nickel(II) Thiolates of Square-planar Geometry: Syntheses, Spectral, and Redox Properties of [Ni(SCH₂CH₂S)₂]²⁻ and [Ni(SCH(CH₃)CH(CH₃)S)₂]²⁻ and the Structure of (Ph₄P)₂[Ni(SCH₂CH₂S)₂]·4H₂O. *Inorg. Chim. Acta* **1990**, *177*, 233-238.
43. S. Brown, M. Olmstead and P. K. Mascharak, Iron(II) and Iron(III) Complexes of N-(2-(4-imidazolyl)ethyl)pyrimidine-4-carboxamide, a Ligand Resembling Part of the Metal-binding Domain of Bleomycin. *Inorg. Chem.* **1990**, *29*, 3229-3234.
42. S. Hudson and P. K. Mascharak, Radical-Induced DNA Damage by a Synthetic Analogue of Copper(II)-Bleomycin. *Chem. Res. Toxicology* **1989**, *2*, 411-415.
41. S. J. Brown, S. E. Hudson, M. M. Olmstead and P. K. Mascharak, Light-induced Nicking of DNA by a Synthetic Analogue of Cobalt(III)-Bleomycin. *J. Am. Chem. Soc.* **1989**, *111*, 6446-6447.
40. S. J. Brown, M. M. Olmstead and P. K. Mascharak, Novel Chiral Trinuclear and Symmetric Tetranuclear Imidazolate-bridged Cobalt(III) Complexes of a Synthetic Analogue of Bleomycin. *Inorg. Chem.* **1989**, *28*, 3720-3728.
39. N. Baidya, M. M. Olmstead and P. K. Mascharak, Synthesis and Structural Characterization of a Trimeric Nickel(II) Complex of N-(2-mercaptopropionyl)glycine. *Inorg. Chem.* **1989**, *28*, 3426-3432.
36. M. Muetterties, M. B. Cox, S. K. Arora and P. K. Mascharak, Synthetic Analogue Approach to Cobalt(III)-Bleomycin: Synthesis, Crystal and Solution Structures and Redox Properties of Bis(N-(2-(4-imidazolyl)ethyl)pyrimidine-4-carboxamido)cobalt(III) Perchlorate.2.25 Water. *Inorg. Chim. Acta* **1989**, *160*, 123-134.

35. S. J. Brown, S. E. Hudson, D. W. Stephan and P. K. Mascharak, Syntheses, Structures, and spectral Properties of a Synthetic Analogue of Cu(II)-Bleomycin and an Intermediate in the Process of Its Formation. *Inorg. Chem.* **1989**, 28, 468-477.
34. P. K. Mascharak and S. J. Lippard, cis-Diammineplatinum α -pyridone Blue and Related Pt (II) and Pt (III) Dimers. *Inorg. Synth.* **1989**, 25, 94.
33. S. J. Brown, D. W. Stephan and P. K. Mascharak, Characterization of a Crystalline Synthetic Analogue of Cu(II)-Bleomycin. *J. Am. Chem. Soc.* **1988**, 110, 1996-1997.
32. S. J. Brown, X. Tao, T. A. Wark, D. W. Stephan and P. K. Mascharak, Synthetic Analogue Approach to Metallobleomycins. 4. New Halo-bridged Dimeric and Polymeric (Infinite Zigzag Chain) Complexes of Copper (II) with Peptide Ligands Related to Bleomycins. *Inorg. Chem.* **1988**, 27, 1581-1587.
31. K. Delaney, S. K. Arora and P. K. Mascharak, Synthetic Analogue Approach to Metallobleomycins. 3. Synthesis, Crystal and Solution Structures and Redox Properties of Bis(N-(2-(4-imidazolyl) ethyl)-pyridine-2-carbox-amido)cobalt(III) perchlorate Hydrate. *Inorg. Chem.* **1988**, 27, 705-712.
30. S. G. Rosenfield, M. L. Y. Wong, D. W. Stephan and P. K. Mascharak, Synthesis, Structure and Properties of Tetraphenylphosphonium tetrakis (2-mercaptopropionato)trinicke(II) (Ph₄P)₂[Ni₃(SCH(CH₃) COO)₄]: A Linear Trimeric Thiolato Complex of Nickel. *Inorg. Chem.* **1987**, 26, 4119-4122.
29. S. G. Rosenfield, H. P. Berends, L. Gelmini, D. W. Stephan and P. K. Mascharak, New Octahedral Thiolato Complexes of Divalent Nickel: Syntheses, Structures and Properties of (Et₄N)[Ni(SC₅H₄N)₃] and (Ph₄P)[Ni(SC₄H₃N₂)₃]CH₃CN. *Inorg. Chem.* **1987**, 26, 2792-2797.
28. T. V. O'Halloran, P. K. Mascharak, I. D. Williams, M. M. Roberts and S. J. Lippard, Synthesis, Structure Determination, and Electronic Structure Characterization of Two Mixed Valence Tetranuclear Platinum Blues with Bridging α -Pyridonate or 1-Methyluracilate Ligands. *Inorg. Chem.* **1987**, 26, 1261.
27. X. Tao, D. W. Stephan and P. K. Mascharak, Synthetic Analogue Approach to Metallobleomycins, Part II: Synthesis, Structure and Properties of the Low-Spin Iron (III) Complex of N-2(4-imidazolyl) ethylpyridine-2-carboxamide. *Inorg. Chem.* **1987**, 26, 754-759.
26. S. G. Rosenfield, S. K. Arora and P. K. Mascharak, Convenient Synthesis, Properties and the Structure of Tetramethylammonium Tris(pyrimidine-2-thiolato)ferrate(II): An Iron Complex with Three Stable Four-membered N,S-Chelate Rings. *Inorg. Chim. Acta* **1987**, 129, 39-46.
25. S. J. Brown, X. Tao, D. W. Stephan and P. K. Mascharak, Synthetic Analogue Approach to Metallobleomycins, Part I: Syntheses, Structures and Properties of the Copper Complexes of Two Peptides Related to Bleomycins. *Inorg. Chem.* **1986**, 25, 3377-3384.
24. S. G. Rosenfield, W. H. Armstrong and P. K. Mascharak, Convenient Synthesis and Properties of (R₄N)₂ [Ni(SAr)₄] (Ar = C₆H₅, p-C₆H₄Cl, p-C₆H₄CH₃ and m-C₆H₄Cl) and the Structure of Tetraethylammonium Tetrakis (p-chloro-benzenethiolato) nickelate (II). *Inorg. Chem.* **1986**, 25, 3014-3018.
23. S. G. Rosenfield, S. A. Swedberg, S. K. Arora and P. K. Mascharak, Synthesis, Properties and the Structure of Tetraethylammonium Tris(pyridine-2-thiolato)ferrate(II): An Example of Exceptionally Short 'Bite' of the Ligand. *Inorg. Chem.* **1986**, 25, 2109-2114.
22. Convenient Synthesis of Tris (tetraethylammonium) Hexacyanoferrate (III) and its Use as an Oxidant with Tunable Redox Potential. P. K. Mascharak, *Inorg. Chem.* **1986**, 25, 245-247.
21. S. D. Conradson, B. K. Burgess, W. E. Newton, P. K. Mascharak, W. H. Armstrong, R. H. Holm and K. O. Hodgson, Structural Insights from the Mo K-Edge X-ray Absorption Near Edge Structure of the Iron-Molybdenum Protein of Nitrogenase and its Iron-Molybdenum Cofactor by Comparison with Synthetic Fe-Mo-S Clusters. *J. Am. Chem. Soc.* **1985**, 107, 7935.

20. P. K. Mascharak, I. D. Williams and S. J. Lippard, Characterization of a Platinum Pyrimidine Blue: Synthesis, Structure and Physical Properties of cis-Diammineplatinum 1-Methyluracil Blue. *J. Am. Chem. Soc.* **1984**, *106*, 6428.
19. P. K. Mascharak, K.S. Hagen, J.T. Spence and R. H. Holm, Structural Distortions of the $(\text{Fe}_4\text{S}_4)^{2+}$ Core of $[\text{Fe}_4\text{S}_4(\text{S-t-C}_4\text{H}_9)_4]^{2-}$ in Different Crystalline Environments and Detection and instability of Oxidized $(\text{Fe}_4\text{S}_4)^{3+}$ Clusters. *Inorg. Chim. Acta*, **1983**, *80*, 157.
18. P. K. Mascharak, Y. Sugiura, J. Kuwahara, T. Suzuki and S. J. Lippard, Alteration and Activation of Sequence Specific Cleavage of DNA by Bleomycin in the Presence of the Antitumor Drug cis-Diamminedichloroplatinum(II). *Proc. Natl. Acad. Sci. U.S.A.* **1983**, *80*, 6795.
17. Y. Mizobe, P. K. Mascharak, R. E. Palermo and R. H. Holm, Synthesis and Selected Properties of a Reduced Single-Cubane Cluster Containing the $\text{MoFe}_3\text{S}_4^{2+}$ (S=2) Core. *Inorg. Chim. Acta Letters*, **1983**, *80*, L65.
16. P. K. Mascharak. G. C. Papaefthymiou, W. H. Armstrong, S. Foner, R. B. Frankel and R. H. Holm, Electronic Properties of Single-and Double MoFe_3S_4 Cubane-Type Clusters. *Inorg. Chem.* **1983**, *22*, 2851.
15. P. K. Mascharak, W. H. Armstrong, Y. Mizobe and R. H. Holm, Single Cubane-Type MFe_3S_4 Clusters (M = Mo, W): Synthesis and Properties of Oxidized and Reduced Forms and the Structure of $(\text{Et}_4\text{N})_3 [\text{MoFe}_3\text{S}_4(\text{S-p-C}_6\text{H}_4\text{Cl})_4(3,6-(\text{C}_3\text{H}_5)_2\text{C}_6\text{H}_2\text{O}_2)]$. *J. Am. Chem. Soc.* **1983**, *105*, 475.
14. P. K. Mascharak, M. Smith, W. H. Armstrong, B. K. Burgess and R. H. Holm, Fluorine-19 Chemical Shifts as Structural Probes of Metal-Sulfur Clusters and the Cofactor of Nitrogenase. *Proc. Natl. Acad. Sci. U.S.A.*, **1982**, *79*, 7056.
13. W. H. Armstrong, P. K. Mascharak and R. H. Holm, Demonstration of the Existence of Single Cubane-Type MoFe_3S_4 Clusters with S = 3/2 Ground States: Preparation, Structure, and Properties. *Inorg. Chem.* **1982**, *21*, 1699.
12. W. H. Armstrong, P. K. Mascharak and R. H. Holm, Doubly-Bridged Double-Cubanes containing MFe_3S_4 Clusters (M= Mo, W): Synthesis, Structure, and Conversion to Spin-Quartet Single Clusters in Solution. *J. Am. Chem. Soc.* **1982**, *104*, 4373.
11. P. K. Mascharak and A. Chakravorty, Arylazooximates of Ortho-Palladated Azobenzenes: Syntheses, Isomerism and Redox Behaviour. P. Bandyopadhyay, *J. Chem. Soc. (D)* **1982**, 675.
10. G. Christou, P. K. Mascharak, W. H. Armstrong, G. C. Papaefthymiou, R. B. Frankel and R. H. Holm, Electron Transfer Series of MoFe_3S_4 Double-Cubane Clusters: Electronic Properties of Components and the Structure of $[(\text{C}_2\text{H}_5)_4\text{N}]_5 [\text{Mo}_2\text{Fe}_6\text{S}_8(\text{SC}_6\text{H}_5)_9]$. *J. Am. Chem. Soc.* **1982**, *104*, 2820.
9. P. K. Mascharak, G. C. Papaefthymiou, R.B. Frankel and R.H. Holm, Evidence for the Localized Fe(III)/Fe(II) Oxidation State Configuration as an Intrinsic Property of $[\text{Fe}_2\text{S}_2(\text{SR})_4]^{3-}$ Clusters. *J. Am. Chem. Soc.* **1981**, *103*, 6110.
8. D. Datta, P. K. Mascharak and A. Chakravorty, Electrochemical Study of a Trinuclear Copper(II) System; the $\text{Cu}^{\text{II}}-\text{Cu}^{\text{III}}-\text{Cu}^{\text{II}}$ Couple and its Inhibition by Proton. *Inorg. Chem.* **1981**, *20*, 1673.
7. P. Bandyopadhyay, P. K. Mascharak and A. Chakravorty, Bis(arylazooximate)palladium(II); Synthesis, Palladium-Nitrogen Bond Lability and Redox Activity. *J. Chem. Soc. (D)* **1981**, 623.
6. P. Bandyopadhyay, P. K. Mascharak and A. Chakravorty, Reversible Phosphine Binding to Palladium Arylazooximates: Correlation of Equilibrium Constants with Cone Angles. *Inorg. Chim. Acta Letters* **1980**, *45*, L219.
5. P. K. Mascharak and A. Chakravorty, Selective Cleavage of the Two Types of Pd-N Bonds in Di- μ -Halobis-(arylazooximate)palladium(II) *J. Chem. Soc. (D)* **1980**, 1698.

4. P. K. Mascharak and A. Chakravorty, Reactions of Di- μ -Halobis (arylazooximatopalladium(II)) with Amines: New Mixed Ligand Mononuclear Complexes of Palladium(II). *Ind. J. Chem.* **1979**, *18A*, 471.
3. P. K. Mascharak and A. Chakravorty, Platinum Arylazooximates. *Inorg. Nucl. Chem. Letters* **1979**, *15*, 179.
2. P. K. Mascharak, D. Datta and A. Chakravorty, Novel One-Electron Oxidation of a Trinuclear Copper(II) System. *Inorg. Chim. Acta Letters* **1978**, *27*, L95.
1. P. K. Mascharak, S. K. Adhikari and A. Chakravorty, Bridge-Splitting and Ring-Opening Reactions of Palladium(II) Arylazooximates. *Inorg. Nucl. Chem. Letters* **1977**, *13*, 27.

Comments (Articles Published in Chemtracts)

21. Highly Efficient Drug Delivery with Gold Nanoparticle Vectors for In Vivo Photodynamic Therapy of Cancer. *Chemtracts-Inorg. Chem.* **2008**, *21*, 329-335.
20. Selective Detection of Mercury(II) Ion Using Nonlinear Optical properties of Gold Nanoparticles. *Chemtracts-Inorg. Chem.* **2008**, *21*, 18-22.
19. Oxygenation of Simple Zinc Alkyls: Surprising Dependence of Product Distributions on the Alkyl Substituents and the Presence of Water. *Chemtracts-Inorg. Chem.* **2007**, *20*, 102-106.
18. (a) Porous Cobalt(II)-Organic Frameworks with Corrugated Walls: Structurally Robust Gas-Sorption Materials. (b) Highly Interpenetrated Metal-Organic Frameworks for Hydrogen Storage. *Chemtracts-Inorg. Chem.* **2006**, *19*, 445-451.
17. $[\text{Fe}(\text{CNXyl})_4]^{2-}$: An Isolable and Structurally Characterized Homoleptic Isocyanidometalate Dianion. *Chemtracts-Inorg. Chem.* **2006**, *19*, 318-323.
16. (a) Screening Mercury Levels in Fish with a Selective Fluorescent Chemosensor. (b) Highly Selective Chromogenic and Redox or Fluorescent Sensors of Hg^{2+} in Aqueous Environment Based on 1,4-Disubstituted Azines. *Chemtracts-Inorg. Chem.* **2005**, *18*, 455-462.
15. Methanobactin, A Copper-Acquisition Compound from Methane-Oxidizing Bacteria. *Chemtracts-Inorg. Chem.* **2005**, *18*, 87-92.
14. Sensing and Fixation of $\text{NO}_2/\text{N}_2\text{O}_4$ by Calix[4]Arenes. *Chemtracts-Inorg. Chem.* **2004**, *17*, 183-188.
13. New Colorimetric Detection of Glucose by Means of Electron-Accepting Indicators: Ligand Substitution of $[\text{Fe}(\text{acac})_{3-n}(\text{phen})_n]^{n+}$ Complexes triggered by Electron Transfer from Glucose Oxidase. *Chemtracts-Inorg. Chem.* **2003**, *16*, 310-316.
12. C-H Bond Activation by a Ferric Methoxide Complex: Modeling the Rate-Determining Step in the Mechanism of Lipxygenase. *Chemtracts-Inorg. Chem.* **2002**, *15*, 282-288.
11. Calix[6]Arenes and Zinc: Biomimetic Receptors for Neutral Molecules. *Chemtracts-Inorg. Chem.* **2001**, *14*, 450-455.
10. (a) Novel Zinc Fluorescent Probes Excitable with Visible Light for Biological Applications. (b) Highly Zinc-Selective Fluorescent Sensor Molecules Suitable for Biological Applications. *Chemtracts-Inorg. Chem.* **2001**, *14*, 442-449.
9. O_2 Activation by Non-Heme Iron Complexes: A Monomeric Fe(III)-Oxo Complex Derived from O_2 . *Chemtracts-Inorg. Chem.* **2000**, *13*, 763-769.
8. The Electronic Structures of An Isostructural Series of Octahedral Nitrosyliron Complexes $\{\text{Fe}-\text{NO}\}^{6,7,8}$ Elucidated by Mossbauer Spectroscopy. *Chemtracts-Inorg. Chem.* **2000**, *13*, 539-546.
7. A Functional Model of the O-O Bond Formation by the O_2 -Evolving Complex in Photosystem II. *Chemtracts-Inorg. Chem.* **2000**, *13*, 326-332.

6. Disproportionation of Nitric Oxide Promoted by a Mn Tropocoronand. *Chemtracts-Inorg. Chem.* **1998**, *12*, 135-140.
5. Catalytic Galactose Oxide Models: Biomimetic Cu(II)-Phenoxy-Radical Reactivity. *Chemtracts-Inorg. Chem* **1998**, *11*, 605-609.
4. Mechanistic Study of the Oxidative N-dealkylation Reactions of Bis(μ -oxo)dicopper complexes. *Chemtracts-Inorg. Chem* **1997**, *10*, 345-349.
3. Reactions of Iron(III) Porphyrins with Oxidants: Structure-Reactivity Studies. *Chemtracts-Inorg. Chem.* **1995**, *7*, 134-138.
2. Structure and reactivity of Fe(II)-SAr Complexes: Relevance to the Active Site of Isopenicillin-N-Synthase. *Chemtracts-Inorg. Chem.* **1995**, *7*, 33-36.
1. Synthesis and Characterization of an Asymmetric Bridged Assembly Containing the Unsupported [Cu^{III}-O-Cu^{II}] Bridge: Analogue of the Binuclear Site in Oxidized Cytochrome c Oxidase. *Chemtracts-Inorg. Chem.* **1994**, *6*, 204-207.

Chapters in Books

10. T. R. deBoer and P. K. Mascharak, Recent Progress in Photoinduced NO Delivery with Designed Ruthenium Nitrosyl Complexes. *Adv. Inorg. Chem.* **2014**, Vol. 67.
9. T. J. deBoer-Maggart and P. K. Mascharak, Photoactivatable Metal Complexes and Their Use in Biology and Medicine. Chapter 13 in *Ligand Design in Medicinal Inorganic Chemistry*, Wiely, **2014**.
8. B. J. Heilman, M. A. Gonzalez and P. K. Mascharak, Photoactive Metal Nitrosyls and Carbonyls with Designed Auxiliary Ligands: An Emerging Class of Photochemotherapeutics. *Prog. In Inorg. Chem.* Vol 58, Wiely, **2014**.
7. P. K. Mascharak, The Active Site of Nitrile Hydratase: An Assembly of Unusual Coordination Features by Nature. *Structure and Bonding*, Special Volume on "Molecular Design in Inorganic Biochemistry", Springer. **2013**.
6. T. C. Harrop and P. K. Mascharak, Cobalt-containing Enzymes. *Encyclopedia of Metalloproteins*, V. Uversky, R. H. Kretsinger and E. A. Permyakov Eds. Springer, **2012**
Weblink: <http://www.springerreference.com/docs/html/chapterdbid/309392.html>
5. Model Complexes of Ni-Containing Enzymes. T. C. Harrop and P.K. Mascharak, Invited Chapter in *Concepts and Models in Bioinorganic Chemistry*, Wiely-VCH, Weinheim, Germany, **2006**.
4. Biomimetic Catalysis by Models of Non-Heme Iron Enzymes. D.S. Marlin and P.K. Mascharak, Invited Chapter in the *Encyclopedia of Catalysis*, **2003**, John-Wiley: New York, Vol. 4, 240-268.
3. A. Huttenhofer and P. Mascharak, Cleavage of RNA by Fe(II)-bleomycin, Invited Chapter in *RNA-binding Antibiotics*, Wallis, M. G. and Schroeder, R. eds. Landes Bioscience: Texas, **2000**.
2. N. Baidya and P. K. Mascharak, Probe into the Active Site of Nickel-containing Hydrogenases: A Synthetic Analogue Approach. Invited Chapter in *Trends in Inorganic Chemistry*, J. Menon, ed.; **1993**.
1. R. H. Holm, W. H. Armstrong, G. Christou, P. K. Mascharak, Y. Mizobe, R. E. Palermo and T. Yamamura, Toward a Model of the Cofactor of Nitrogenase: Recent Developments in the

Chemistry of MoFe_3S_4 Cubane-Type Clusters. In *Studies in Organic Chemistry*, Z. Yoshida, Ed., Elsevier Publishing Co:New York, **1983**.

Book Reviews

3. "Progress in Inorganic Chemistry" Vol. 55 Ed. K. D. Karlin, John Wiley & Sons (*JACS* **2008**, 130, 2880-2882)
2. "Active Oxygen in Chemistry" Search Series, Vol. 2., J. Liebman, A. Greenberg, Eds. (*JACS* **1996**, 118, 3324).
1. "Advances in Inorganic and Bioinorganic Mechanisms" Vol. 4, Ed. A .G. Sykes, Acad. Press (*JACS* **1987**, 109, 1889)